


Parts of 4 3/4, 6, 8, 9, 10 and 12 ft. B. G. Samson Mills

Windmill-Parts.com

Windmill-Parts.com



Do not use above key numbers for ordering castings. Give us casting number and description if possible.

940 597-7735

940 597-7735

Description	4 3/4 ft.		6 ft.		8 ft.		9 ft.		10 ft.		12 ft.	
	No.	Pr.	No.	Pr.	No.	Pr.	No.	Pr.	No.	Pr.	No.	Pr.
S-278 Double Pump Rod.....	1	00	1	00	1	00	1	00	1	25	1	65
S-279 Wire Guide in Cross Bar for Pump Rod.....		.15		.15		.15		.15		.15		.15
S-280 Pull-out Wire.....		.85		.85		.85		.85		.85		.85
S-281 Wood Pump Rod, per foot.....		.10		.10		.10		.10		.10		.15
S-282 Cross Bar for Double Rod Guide.....		.85		.85		.95		.95		1.25		1.25

940 597-7735

# Repair Price List of Samson Steel Wind Mills—Irrigator

Windmill-Parts.com  
940-597-7735

	4 3/4 ft.		6 ft.		8 ft.		9 ft.		10 ft.		12 ft.	
	No.	Pr.	No.	Pr.	No.	Pr.	No.	Pr.	No.	Pr.	No.	Pr.
S- 76 Wheel Head with Pipe.....	2425	4.75	1742	6.60	1869	7.95	1869	7.95	1894	12.60	2000	15.55
S- 78 Spider with Shaft.....	2429	3.30	1746	4.15	1893	6.60	1893	6.60	1741	10.75	2004	19.85
S- 80 Gear with Stud.....	2430	1.25	1747	2.10	1873	2.70	1873	2.70	1898	4.15	2005	4.95
S- 81 Drop Forged Wrist Pin without Bolts and Nuts.....	....	1.00	....	1.95	....	2.15	....	2.15	....	3.30	....	4.35
S- 82 Plunger Rod only.....	....	.55	....	.75	....	.85	....	.85	....	1.05	....	1.25
S- 83 Plunger Head.....	2432	.45	2316	.45	2243	.65	2243	.65	2294	1.05	2339	1.05
S- 84 Male Swivel Bottom of Plunger..	2439	.30	1758	.30	1758	.30	1758	.30	2300	.45	2014	.65
S- 85 Plunger, complete.....	1.35	....	1.65	....	1.80	....	1.80	....	2.75	....	3.15	....
S- 86 Pitman, babbitted only, see S-124	2438	1.05	2314	1.85	3001	2.50	3001	2.50	3002	3.60	3003	4.35
S- 86 1/2 Pitman complete with Cap Box, U bolts and covers.....	....	2.15	....	2.70	....	3.85	....	3.85	....	5.10	....	6.30
S- 87 Rocker Arm.....	2437	1.15	2313	1.35	2242	1.95	2242	1.95	2293	2.50	2211	3.30
S- 88 Rocker Arm Bearing.....	....	....	....	....	....	....	....	....	....	....	2346	1.65
S- 89 Cap Box for Wheel Shaft, babbitted	2426	.55	2310	.75	2236	1.05	2236	1.05	2299	1.65	2340	1.80
S- 90 Dbl. Cap Box, babbitted, wicks, & covers, Front, (next to Wheel).	2427	1.35	2312	1.55	2234	1.95	2234	1.95	2296	2.34	2336	2.75
S- 91 Dbl. Cap Box, babbitted, wicks, & covers, rear.....	2428	1.35	2311	1.55	2233	1.95	2233	1.95	2295	2.35	2337	2.75
S- 92 Babbitted Sleeve, long.....	2443	.45	1761	.65	1885	1.00	1885	1.00	1908	1.25	2018	1.65
S- 93 Babbitted Sleeve, short.....	2444	.40	1762	.45	1886	.65	1886	.65	1909	.85	2019	1.15
S- 94 Double Pin.....	2431	.85	1748	1.05	1874	1.65	1874	1.65	1899	2.65	2006	4.15
S- 95 Upper Vane Support.....	2433	.55	2468	.65	2353	1.00	2353	1.00	2417	1.95	2008	2.65
S- 97 Vane Rod Clamp on Upper Vane Support.....	2448	.30	2471	.30	2354	.30	2354	.30	2419	.40	2022	.45
S- 98 Lower Vane Support.....	2434	.85	1751	1.05	1877	1.35	1877	1.35	1902	2.25	2009	2.75
S- 99 Sheave Pulley Cap on Lower Vane Support.....	1752	.15	1752	.15	1878	.15	1878	.15	1878	.15	2010	.40
S-100 Sheave Pulley.....	2445	.15	1763	.15	1887	.30	1887	.30	1887	.30	2020	.30
S-101 Lower Vane Support with Cap and Pulley.....	1.25	....	1.50	....	1.85	....	1.85	....	2.75	....	3.30	....
S-104 Upper Vane Hinge.....	2442	.50	2469	.55	2356	.65	2356	.65	2418	.75	2341	1.05
S-105 Lower Vane Hinge.....	2441	.45	3017	.75	3016	1.00	3016	1.00	1907	.35	2016	2.45
S-109 Oil Box Cover for Pitman, Plunger Head, dbl Cap Box Upper Vane Hinge	2449	.15	steel	.15	steel	.15	steel	.15	steel	.15	steel	.15
S-108 Oil Box Cover for Front Cap Box	2449	.15	steel	.15	steel	.15	steel	.15	2307	.15	2342	.30
S-109 Oil Box Cover for Rocker Arm...	2449	.15	steel	.15	steel	.15	steel	.15	steel	.15	....	....
S-109 Oil Box Cover for Rocker Arm Bearings.....	....	....	....	....	....	....	....	....	....	....	2347	.15
S-109 Oil Box Cover for Pitman, lower end	2455	.15	2306	.15	steel	.15	steel	.15	steel	.15	steel	.15
S-111 Plunger Guide, wire side.....	2450	.30	1767	.40	1767	.40	1767	.40	1767	.40	2023	.45
S-112 Plunger Guide, angle side.....	2451	.30	1768	.40	1768	.40	1768	.40	1768	.40	2024	.45
S-113 Brake Lever.....	2440	.40	1757	.40	1883	.40	1883	.40	1906	.55	2015	.65
S-114 Spring Arbor.....	2446	.30	2470	.40	2355	.45	2355	.45	2420	.85	2021	1.05
S-115 Sheave Pulley Case.....	2436	.30	1753	.40	1879	.45	1879	.45	1879	.45	2011	.55
S-116 Sheave Pulley Case and Pulley..	....	.45	....	.65	....	.75	....	.75	....	.75	....	.85
S-117 Female Plunger Swivel.....	2452	.30	1769	.30	1769	.30	1769	.30	1778	.40	1759	.75
S-118 Rocker Arm Bracket and Shield, Front, (next to Wheel)	2453	1.05	1771	1.55	1888	2.10	1888	2.10	1911	2.65	2213	4.95

## Repair Price List of Samson Steel Wind Mills—Irrigator

Windmill-Parts.com

	4 3/4 ft		6 ft.		8 ft.		9 ft		10 ft.		12 ft.	
	No.	Pr.	No.	Pr.	No.	Pr.	No.	Pr.	No.	Pr.	No.	Pr.
S-119 Rocker Arm Bracket and Shield, Rear.....	2454	1.05	1772	1.55	1889	2.10	1889	2.10	1912	2.65	2214	4.05
S-120 Pull-out Chain Swivel Block.....	1773	.15	1773	.15	2187	.15	2187	.15	1913	.15	1913	.15
S-121 Combination Base Plate.....	2458	1.05	1862	1.25	1862	1.25	1862	1.25	.....	.....	.....	.....
S-122 Combination Base Plate for Ball Bearings.....	.....	.....	.....	.....	3058	.90	3058	.90	3051	1.50	3053	1.65
S-123 Ball Bearing Case.....	.....	.....	.....	.....	3052	1.00	3052	1.00	3052	1.00	3054	1.00
S-123 1/2 Steel Balls, per set.....	.....	.....	.....	.....	.....	1.05	.....	1.05	.....	1.05	.....	1.35
S-124 Wrist Pin Cap Box, babbitted.....	2457	.45	2315	.40	2238	.65	2238	.65	2298	.85	2344	1.05
S-125 Cast Wrench.....	2435	.15	1806	.15	1892	.30	1892	.30	1916	.30	2033	.45
S-126 Socket Wrench.....	2091	.15	2091	.15	2091	.15	2091	.15	2091	.15	2260	.30
S-127 Malleable Swivel on Vane.....	1867	.15	1867	.15	1867	.15	1867	.15	1867	.15	1867	.15
S-129 Collar for Pinion Shaft.....	2447	.15	2191	.15	2089	.15	2089	.15	2088	.15	2124	.30
S-130 Adjustable Guide Ring.....	2460	.55	986	.65	986	.65	986	.65	1963	.65	1144	.85
S-131 Pump Connection.....	A 29	.55	A 29	.55	A 29	.55	A 29	.55	620	.65	675	.85
S-132 Buffer Stud.....	A 30	.15	A 30	.15	A 30	.15	A 30	.15	A 30	.15	2037	.15
S-134 Brake Guard.....	1934	.15	1934	.15	1936	.15	1936	.15	1937	.15	2036	.15
S-135 Corner Washers.....	.....	.15	.....	.15	.....	.15	.....	.15	.....	.15	.....	.15
S-136 Crank for Pull-out Reel.....	622	.65	622	.65	622	.65	622	.65	622	.65	562	1.25
S-137 Bracket for Pull-out Reel.....	623	.65	623	.65	623	.65	623	.65	623	.65	1285	1.25
S-138 Ratchet for Pull-out Reel.....	624	.30	624	.30	624	.30	624	.30	624	.30	555	.30
S-139 Dog for Pull-out Reel.....	625	.15	625	.15	625	.15	625	.15	625	.15	625	.15
S-140 Chain for Pull-out Reel.....	.....	.65	.....	.65	.....	.65	.....	.65	.....	.65	.....	1.00
S-141 Pull-out Reel, complete.....	.....	2.35	.....	2.35	.....	2.35	.....	2.35	.....	2.35	.....	4.20
S-142 Chain for Pull-out in head.....	.....	.60	.....	.65	.....	.85	.....	.85	.....	1.00	.....	1.15
S-143 Steel Washers for Wheel Shaft.....	.....	.15	.....	.15	.....	.15	.....	.15	.....	.15	.....	.15
S-144 Steel Washers for Mast Pipe.....	.....	.15	.....	.30	.....	.30	.....	.30	.....	.30	.....	.45
S-145 Governor Spring.....	.....	1.65	.....	1.45	.....	1.65	.....	1.65	.....	4.95	.....	7.45
S-146 Buffer Spring.....	.....	.15	.....	.30	.....	.30	.....	.30	.....	.45	.....	.60
S-147 Vane Sheet Galvanized.....	.....	3.00	.....	3.60	.....	4.65	.....	5.75	.....	6.60	.....	9.05
S-153 Vane Rail, complete.....	.....	3.15	.....	3.75	.....	4.15	.....	4.15	.....	9.00	.....	16.80
S-154 Wheel Sections Galvanized.....	.....	3.00	.....	4.00	.....	4.65	.....	5.15	.....	6.25	.....	8.75
S-155 Wheel Arm.....	.....	.55	.....	.85	.....	1.25	.....	1.50	.....	1.95	.....	3.00
S-157 Rocker Arm Pin.....	.....	.40	.....	.45	.....	.55	.....	.55	.....	.65	.....	1.15
S-158 Pitman Pin.....	.....	.30	.....	.40	.....	.45	.....	.45	.....	.55	.....	.65
S-159 Plunger Pin.....	.....	.30	.....	.40	.....	.45	.....	.45	.....	.55	.....	.65
S-160 Vane Rod.....	.....	.40	.....	.45	.....	.55	.....	.55	.....	.85	.....	1.25
S-161 Brake Rod.....	.....	.15	.....	.15	.....	.30	.....	.30	.....	.30	.....	.40
S-162 Brake Band.....	.....	.40	.....	.55	.....	.65	.....	.65	.....	.75	.....	1.0
S-163 Rod Couplings.....	.....	.30	.....	.30	.....	.30	.....	.30	.....	.30	.....	.40
S-164 Wrist Pin Bolts with Nuts, each...	.....	.30	.....	.30	.....	.40	.....	.40	.....	.45	.....	.55
S-165 Clip for upper Vane Support.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.30
S-166 Malleable Swivel for Pull-out Wire	.....	.15	.....	.15	.....	.15	.....	.15	.....	.15	.....	.15
S-276 Wire Hook, Pull-out Reel.....	.....	.15	.....	.15	.....	.15	.....	.15	.....	.15	.....	.15
S-277 "U" Bolts on Wrist Pin.....	.....	.15	.....	.15	.....	.15	.....	.15	.....	.15	.....	.30

For Price of Wood Rod, Pull-out Wire, etc., See Page 2

# Repair Price List 1906 - Samson Steel Wind Mills

Windmill-Parts.com

940 597-7735

	SAMSON DIRECT STROKE		REPAIRS ONLY FOR SAMSON STANDARD (Mills are not built)								SAMSON SPECIAL	
	8 ft.		8 ft.		9 ft.		10 ft.		8 ft.			
	No.	Pr.	No.	Pr.	No.	Pr.	No.	Pr.	No.	Pr.		
S- 76 Wheel Head with Pipe.....	2515	7.50	1869	7.95	1869	7.95	1869	7.95	1742	6.60		
S- 78 Spider with Shaft.....	1893	6.60	1952	6.60	1952	6.60	1960	8.70	1977	6.60		
S- 80 Gear with Studs, each.....	2518	1.45	1953	2.65	1953	2.65	1873	2.70	1978	2.10		
S-81 Wrist Pin, drop forged.....	.....	1.75	.....	2.15	.....	2.15	.....	2.15	.....	1.95		
S- 82 Plunger Rod.....	.....	.85	.....	.85	.....	.85	.....	.85	.....	.75		
S- 83 Plunger Head.....	2520	.60	2243	.65	2243	.65	2243	.65	2316	.45		
S- 84 Male Swivel, bottom of Plunger.....	1756	.30	1756	.30	1756	.30	1756	.30	1756	.30		
S- 85 Plunger, complete.....	.....	1.80	.....	1.80	.....	1.80	.....	1.80	.....	1.80		
S- 86 Pitman, babbitted, without lower Cap Box.....	2517	1.15	3001	2.45	3001	2.45	3001	2.45	2314	1.65		
S- 87 Rocker Arm.....	.....	.....	2242	1.95	2242	1.95	2242	1.95	2313	1.35		
S- 89 Cap Box for Wheel Shaft, babbitted.....	2516	2.25	1954	1.05	1954	1.05	2236	1.05	2310	.75		
S- 90 Double Cap Box, babbitted, with wick and covers— Front (next to wheel).....	.....	.....	1945	1.95	1945	1.95	2234	1.95	2311	1.55		
S- 91 Double Cap Box, babbitted, with wick and covers— Rear (next to vane).....	.....	.....	1946	1.95	1946	1.95	2233	1.95	2312	1.55		
S- 92 Babbitted Sleeve, long.....	1885	1.00	1947	1.00	1947	1.00	1885	1.00	1761	.65		
S- 93 Babbitted Sleeve, short.....	1886	.65	1948	.65	1948	.65	1886	.65	1762	.45		
S- 94 Double Pinion.....	.....	.....	1935	1.65	1935	1.65	1874	1.65	1979	1.05		
S- 95 Upper Vane Support.....	2522	.55	1876	1.00	1876	1.00	1957	1.95	2468	.65		
S- 97 Vane Rod Clamp on Upper Vane Support.....	2354	.30	.....	.....	.....	.....	.....	.....	2471	.30		
S- 98 Lower Vane Support.....	1877	1.35	1877	1.35	1877	1.35	1956	2.25	1751	1.05		
S- 99 Sheave Pulley Cap on Lower Vane Support or Bracket.....	1878	.15	1878	.15	1878	.15	1878	.15	1752	.15		
S-100 Sheave Pulley.....	1887	.30	1887	.30	1887	.30	1887	.30	1763	.15		
S-101 Lower Vane Support with Cap and Pulley.....	.....	1.85	.....	1.85	.....	1.85	.....	1.85	.....	1.50		
S-104 Upper Vane Hinge.....	2356	.65	A 22	.45	A 22	.45	1958	.75	2469	.45		
S-105 Lower Vane Hinge.....	1884	.75	1884	.75	1884	.75	1955	1.35	1758	.65		
S-108 Oil Box Covers for Front Cap Box.....	2527	.15	1770	.15	1770	.15	steel	.15	steel	.15		
S-109 Oil Box Covers for Pitman, Plunger Head, D Cap Box, Upper Vane Hinge.....	.....	.15	1766	.15	1766	.15	steel	.15	steel	.15		
S-109 Oil Box Covers for Pitman, lower end.....	2528	.15	1770	.15	1770	.15	2306	.15	2306	.15		
S-111 Plunger Guide, wire side.....	1767	.40	1767	.40	1767	.40	1767	.40	1767	.40		
S-112 Plunger Guide, angle side.....	1768	.40	1768	.40	1768	.40	1768	.40	1768	.40		
S-113 Brake Lever.....	2519	.40	1883	.40	1883	.40	1883	.40	1757	.40		
S-114 Spring Arbor.....	2355	.45	R 34	.80	R 34	.30	C 26	.55	2470	.40		
			R 35	.30	R 35	.30	C 27	.55				
S-115 Sheave Pulley Case.....	2523	.45	1879	.45	1879	.45	1879	.45	1753	.40		
S-116 Sheave Pulley Case and Pulley.....	.....	.75	.....	.75	.....	.75	.....	.75	.....	.65		
S-117 Female Plunger Swivel.....	1769	.30	1769	.30	1769	.30	1769	.30	1769	.30		
S-118 Rocker Arm Bracket and Shield, front.....	.....	.....	1949	2.10	1949	2.10	1888	2.10	1771	1.55		

Windmill-Parts.com

940 597-7735



	SAMSON DIRECT STROKE		REPAIRS ONLY SAMSON STANDARD (Mills are not built)								SAMSON SPECIAL	
	8 ft.		8 ft.		9 ft.		10 ft.		8 ft.			
	No.	Pr.	No.	Pr.	No.	Pr.	No.	Pr.	No.	Pr.		
S-119 Rocker Arm Bracket and Shield, rear.....			1889	2.10	1889	2.10	1889	2.10	1772	1.55		
S-120 Pull-out Chain Swivel Block.....	2187	.15	1773	.15	1773	.15	1913	.15	1773	.15		
S-121 Combination Base Plate.....	1862	1.25	1862	1.25	1862	1.25			1862	1.25		
S-122 Combination Base Plate for ball bearings.....			3058	.90	3058	.90	3051	1.50				
S-123 Ball Bearing Case.....			3052	1.00	3052	1.00	3052	1.00				
S-123½ Steel Balls, per set.....				1.05		1.05		1.05				
S-124 Wrist Pin Cap Box, babbitted.....			1891	.65	1891	.65	2238	.65	2315	.45		
S-125 Cast Wrench.....	1892	.45	1892	.30	1892	.30	1892	.30	1866	.15		
S-126 Socket Wrench.....							2091	.15	2091	.15		
S-127 Malleable Swivel on Vane.....	1867	.15	1867	.15	1867	.15	1867	.15	1867	.15		
S-128 Collar for Wheel Shaft back of Spider.....		.15	1959	.15	1959	.15	1882	.15	1868	.15		
S-129 Collar for Pinion Shaft.....			2090	.15	2090	.15	2089	.15	2191	.15		
S-130 Adjustable Guide Ring.....	986	.65	986	.65	986	.65	986	.65	986	.65		
S-131 Pump Connection.....	A 29	.55	A 29	.55	A 29	.55	620	.65	A 29	.55		
S-132 Buffer Stud.....	A 30	.15	A 30	.15	A 30	.15	A 30	.15	A 30	.15		
S-134 Brake Guard.....	1936	.15	1936	.15	1936	.15	1936	.15	1934	.15		
S-135 Cast Washers.....		.15		.15		.15		.15		.15		
S-136 Crank for Pull-out Reel.....	622	.65	622	.65	622	.65	622	.65	622	.65		
S-137 Bracket for Pull-out Reel.....	623	.65	623	.65	623	.65	623	.65	623	.65		
S-138 Ratchet for Pull-out Reel.....	624	.30	624	.30	624	.30	624	.30	624	.30		
S-139 Dog for Pull-out Reel.....	625	.15	625	.15	625	.15	625	.15	625	.15		
S-140 Chain for Pull-out Reel.....		.65		.65		.65		.65		.65		
S-141 Pull-out Reel, complete.....		2.35		2.35		2.35		2.35		2.35		
S-142 Chain for Pull-out in Head.....		.85		.85		.85		.85		.65		
S-143 Steel Washer for Wheel Shaft.....		.15		.15		.15		.15		.15		
S-144 Steel Washer for Mast Pipe.....		.30		.30		.30		.30		.30		
S-145 Governor Spring.....		1.65		1.65		1.65		4.95		1.65		
S-146 Buffer Spring.....		.30		.30		.30		.45		.30		
S-147 Vane Sheet.....		4.65		4.65		5.75		6.60		4.65		
S-153 Vane Rails, complete.....		4.15		4.15		4.15		9.60		4.15		
S-154 Sections, galvanized, each.....		4.65		4.65		5.15		6.15		4.65		
S-155 Wheel Arm.....		1.25		1.25		1.50		1.95		1.25		
S-157 Rocker Arm Pin.....				.55		.55		.65		.45		
S-158 Pitman Pin.....		.45		.45		.45		.55		.40		
S-159 Plunger Pin.....		.45		.45		.45		.55		.40		
S-160 Vane Rod.....		.55		.55		.55		.85		.55		
S-161 Brake Rod.....		.30		.30		.30		.30		.15		
S-162 Brake Band.....		.65		.65		.65		.75		.55		
S-163 Rod Couplings.....		.30		.30		.30		.30		.30		
S-164 Wrist Pin Bolt, with nuts, each.....				.40		.40		.45		.30		
S-166 Malleable Swivel for Pull-out Wire.....		.15		.15		.15		.15		.15		
S-276 Wire Hook on Pull-out Reel.....		.15		.15		.15		.15		.15		
S-277 U. Bolt on Wrist Pin.....				.15		.15		.15		.15		
Cross Heads, each.....	2521	.45										

## Samson Irrigator. Parts Previous to Present Mill

	6 ft.		8 ft.		9 ft.		10 ft.		12 ft.	
	No.	Pr.	No.	Pr.	No.	Pr.	No.	Pr.	No.	Pr.
S- 86 Pitman.....									2013	4.35
S- 89 Cap Box for Wheel Shaft.....	1743	.75	1870	1.05	1870	1.05	1895	1.65		
S- 90 Double Cap Boxes, babbitted, wicks and covers, front	1744	1.55	1871	1.95	1871	1.95	1896	2.35		
S- 91 Double Cap Boxes, babbitted, wicks and covers, rear	1745	1.55	1872	1.95	1872	1.95	1897	2.35	2003	2.85
S- 87 Rocker Arm.....									2012	3.40
S- 95 Upper Vane Support.....	1750	.65	1876	1.00	1876	1.00	1901	1.95		
S-104 Upper Vane Hinge.....	A 22	.45	A 22	.45	A 22	.45	C 24	.60	2017	1.05
Spring Adjuster, square hole.....	1764	.40	R 34	.30	R 34	.30	C 26	.55		
Spring Adjuster, round hole.....	1765	.40	R 35	.30	R 35	.30	C 27	.55		
S-118 Rocker Arm Bracket and Shield.....									2027	4.95
S-119 Rocker Arm Bracket and Shield.....									2028	4.95
S-124 Wrist Pin Cap Box.....	1865	.45	1891	.65	1891	.65	1915	.85	2032	1.05
S-160 Vane Rod.....		.45		.55		.55		.85		
S-105 Lower Vane Hinge.....	1758	.65	1884	.75	1884	.75				
S-109 Oil Box Cover for Pitman—lower end .....	2306	.15	2306	.15	2306	.15	2306	.15	2345	.15
S-128 Collar for Wheel Shaft Back of Spider .....	1868	.15	1882	.15	1882	.15	1917	.15		
S-121 Combination Base Plate.....							1962	1.15	2030	2.35
-144 Steel Washer for Mast Pipe.....								.30		.45

### Eight and Nine foot Samson Hyatt Roller Bearing Windmill.

#### SPECIAL REPAIR PARTS

DESCRIPTION	Key No.	Pat. No.	List Price	DESCRIPTION	Key No.	Pat. No.	List Price
Wheel Head with Pipe.....	S 76	3201	10.15	Bearing Case complete with Roller Bearing.....			6.15
Rocker Arm Bracket and Shield—F	S 118	3202	2.55	Bearing Case, Plain.....		3213	1.15
Rocker Arm Bracket and Shield—R	S 119	3203	2.55	Bearing Case complete with Roller Bearing.....			5.15
Gear with Stud.....	S 80	3204	2.70	Bearing Case Cap.....		3214	.40
Rocker Arm.....	0	3205	1.95	Brake Lever.....		3216	.40
Pitman with Bushing.....		3206	3.90	Spider with Shaft.....		3215	6.60
Pitman complete with Roller Bearing.....			8.40	Hyatt Roller Bearing (Short).....		18150	3.25
Plunger Head with Bushing.....		3207	3.25	Hyatt Roller Bearing (Long).....		28160	4.80
Plunger complete.....			4.05	Wrist Pin.....			.60
Clamp.....		3208	.45	Wrist Pin with Nuts and Washers.....			.90
Bearing Case Cap.....		3209	.40	Pitman Pin.....	S 158		.45
Bearing Case, plain.....		3210	1.55	Plunger Pin.....	S 159		.45
Bearing Case complete with Roller Bearing.....			7.25	Graphite Bushing.....			2.25
Bearing Case, Plain.....		3211	1.20	Felt Washers.....			.15
Bearing Case complete with Roller Bearing.....			4.85	Lock Washers, 3/4-inch.....			.15
Bearing Case, Plain.....		3212	1.35	Hex Nuts, 1/2-inch.....			.15
				Hex Nuts, 3/4-inch.....			.15